

USB-C™ KVM Switch to HDMI 8K 60 Hz with USB 2.0

Description

This KVM switch by Delock is a convenient solution for connecting two computers with USB-C™ DP Alt Mode output to an HDMI monitor. By using the button you can switch between both computers.

Peripheral devices

Furthermore, three USB 2.0 ports for mouse and keyboard or USB storage can be connected.

USB powered

The device is powered via a USB port, a suitable USB cable is included. If no free USB-A port is available, an optional external power supply is required.



Item no. 11486

EAN: 4043619114863

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - Input:
 - 2 x USB Type-C™ (DP Alt Mode) female
 - 1 x USB Type-C™ female (5 V power supply)
 - Output:
 - 1 x HDMI-A female
 - 3 x USB 2.0 Type-A female
- Switch button
- LED indicator for source
- Resolution:
 - 7680 x 4320 @ 60 Hz
 - 3840 x 2160 @ 144 Hz
 - (depending on the system and the connected hardware)
- Metal housing
- Colour: anthracite
- Dimensions (LxWxH): ca. 115 x 54 x 12 mm
- OS independent, no driver installation necessary

System requirements

- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port
- Monitor or TV with HDMI connector

- HDMI cable
- Power source with a free USB Type-A female port

Package content

- KVM switch with USB
- 2 x Cable USB-C™ male to USB-C™ male, length ca. 80 cm
- Cable USB-C™ male to USB Type-A male, length ca. 100 cm (power supply)
- User manual

Images



Interface

Output:	3 x USB 2.0 Type-A female 1 x HDMI-A female
Input:	1 x USB Type-C™ female (power supply) 2 x USB Type-C™ female

Technical characteristics

Maximum screen resolution:	7680 x 4320 @ 60 Hz 3840 x 2160 @ 144 Hz
----------------------------	---

Physical characteristics

Housing colour:	anthracite
Housing material:	metal
Length:	115 mm
Width:	54 mm
Height:	12 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de