

Active Optical Cable USB 5 Gbps Type-A male to Type-A female 20 m

Description

This USB cable by Delock is used to connect USB devices, such as a webcam or a printer, to a PC or a laptop. This active optical cable is particularly thin and can transmit signals with virtually no loss over longer distances. The integrated Micro USB connector and the included Micro USB cable can supply additional power.

Please Note

- If the power is not sufficient, please also connect the included Micro USB cable to the computer.
- If you want to connect a hub, we recommend to use a device with a separate power supply.
- The plugs of the cable can get warm; please ensure adequate ventilation and do not cover the connectors.
- The integrated chipset conveys USB 2.0 and USB 1.1 signals of the devices to be transmitted via the USB 5 Gbps cable.



Item no. 83739

EAN: 4043619837397

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 1 x USB 5 Gbps Type-A male
 - 1 x USB 5 Gbps Type-A female
 - 1 x USB Type Micro-B female (5 V power supply)
- USB female port with screw-nut (M2 x 0.4)
- Screw distance: 22 mm (USB3 Vision standard)
- Data transfer rate up to 5 Gbps
- Downwards compatible to USB 2.0 and USB 1.1
- Fibre optical cable with very low signal degradation
- Not affected by electromagnetic interference
- Maximum output current: 900 mA
- Cable diameter: ca. 3 mm
- Smallest bending radius: ca. 20 mm
- Colour: black
- Length incl. connectors: ca. 20 m

System requirements

- PC or laptop with a free USB Type-A port

Package content

- Active optical cable USB 5 Gbps
- USB Type-A to Type Micro-B cable, length ca. 50 cm
- User manual

Images



General

Specification:	USB 1.1 USB 2.0 USB 5 Gbps
----------------	----------------------------------

Interface

Connector 1:	1 x USB 5 Gbps Type-A male
Connector 2:	1 x USB 5 Gbps Type-A female

Technical characteristics

Data transfer rate:	USB 5 Gbps
Maximum current:	600 mA

Physical characteristics

Cable colour:	black
Cable length incl. connectors:	20 m
Smallest bending radius:	20 mm
Cable diameter:	3 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de